



MEUNIER TECHNOLOGIESTM

ESSENTIAL FOR HEALTH AND SAFETY



PRECISION AND RELIABILITY



FEATURES


• Integrated:

Adjustable pressure relief valve Adjustable back pressure valve Pressure gauge with isolator Bleed Valve

- Standard design that fits all your essential needs
- Extensive reliability and durability
- No threaded or glued connections
- Extremely compact design resulting in minimal footprint
- No specific tools required
- Mounting bracket and hoses included
- Compatible with the widest range of chemicals
- Lockout option available
- Hydrostatic testing included on every module
- Warranty offered on our DICE[™] products

TYPICAL INTEGRATION






Patent Pending

The DICE™ Module Dosina integrates all the necessary discharge components required for a typical chemical dosing system. The block type design allows for a rigid, compact and reliable product. The significantly reduced number of connections is a major benefit as it greatly decreases the leakage potential. The module allows for better precision and protection in the dosing system. It also features great guality due to its machined fabrication.


The Dosing Module overcomes the many fundamental problems of the current piping system design such as: poor quality of the piping connections, many potential leakage points, excessive vibration caused by the pump pulsation (which leads to mechanical fatigue on connections and components) and the unjustified large footprint required.



P&ID



TYPICAL INSTALLATION



MEUNIER TECHNOLOGIES INC. meuniertechnologies.com info@meuniertechnologies.com



TECHNICAL INFORMATION


We offer a variety of wetted parts materials to suit your application needs. Acrylic, PVC, CPVC and PVDF

Sizes	1/4"	
Connections	Hose	
Body Material*	Clear Acrylic (PMMA), PVC, PVDF	
Component Material*	PVC, CPVC, PVDF	
Diaphragm Material*	VITON, EPDM	
Seal Material*	VITON, EPDM	
Pressure Relief Valve Adjustment Range		
Back Pressure Valve Adjustment Range	0 to 150 psi 0 to 250 psi	
Pressure Gauge		

*Other material can be supplied on request.

We always have spare parts in stock

DIMENSIONS



DIMENSIONS mm (in)					
Size		А	В	С	
1/4	ES	254.3	123.2	180.8	
		(10.01)	(4.85)	(7.12)	