


DICETM

DICETM ES


M MEUNIER
TECHNOLOGIESTM

ESSENTIAL FOR HEALTH AND SAFETY

 Before




 Now




PRECISION AND RELIABILITY

 Before



 Now



Ease of Retrofit



No Specific Tool Required




Mounting Bracket Available

Reduced Chemical Use



Fastest lead time

Shipped within 1 week*



*Subject to the quantities and materials of currently stocked DICE™ products.

DICE™

- Integrated Components:


Adjustable Back Pressure Valve

Pressure Gauge with Isolator

Bleed Valve

Flexible tubing connections

Adjustable Pressure Relief Valve



- Standard design that fits all your essential needs
- Extensive reliability and durability
- No threaded or glued connections
- Extremely compact design resulting in minimal footprint

- No specific tools required
- Mounting bracket included
- Compatible with the widest range of chemicals
- Hydrostatic testing included on every module
- Warranty offered on our **DICE™** products

TYPICAL INTEGRATION



Pump-mounted



Wall Mount


PATENTED

The DICE™ Dosing Module integrates all the necessary discharge components required for a typical chemical dosing system. The block type design allows for a rigid, compact and reliable product. The significantly reduced number of connections is a major benefit as it greatly decreases the leakage potential. The DICE™ module configuration allows for better precision and protection in the dosing system. It also features great quality due to its machined fabrication.


The DICE™ module overcomes the many fundamental problems of the current piping system design such as: poor quality of the piping connections, many potential leakage points, excessive vibration caused by the pump pulsation (which leads to mechanical fatigue on connections and components) and the unjustified large footprint required.



P&ID



DIMENSIONS



TECHNICAL INFORMATION

We offer a variety of wetted parts materials to suit your application needs: PVC and PVDF.

Internal Diameter	1/4" (DN8)
Connections	Ferrule for tubing connections 1/4" OD/ 3X6mm 3/8" OD/ 6X8mm 1/2" OD/ 9X12mm
Body Materials*	PVC, PVDF
Component Materials*	
Diaphragm Materials*	VITON/ FKM, EPDM
Seal Materials*	
Pressure Relief Valve Adjustment Range	0 to 150 PSI (0 to 10 bar), 0 to 250 PSI (0 to 17 bar)
Back Pressure Valve Adjustment Range	
Pressure Gauge	

*Other materials can be supplied on request.

Spare parts in stock

DIMENSIONS in (mm)				
Size		A	B	C
1/4" (DN8)	ES	10.01 (254.3)	4.85 (123.2)	7.12 (180.8)

MEUNIER TECHNOLOGIES INC.

meuniertechnologies.com

info@meuniertechnologies.com

